



# Discover the **TENDIFLEX®** solutions

Managing Pedestrian Flows and Spaces, and Ensuring Safety Since 1990.

Elegant, Robust and Fully Customizable. Discover the Model and Finishing Suitable for your environment.

# Why do you need a TENDIFLEX®?

- 1 - **attract customers** to your business;
- 2 - **manage** the pedestrian flows and gatherings safely;
- 3 - **enhance your communication** for your customers;
- 4 - **guide customers** to strategic commercial areas;
- 5 - **manage the entry and exit** pedestrian flows;
- 6 - **delimit zones/areas**;
- 7 - **BYEL: bring your environment to life.**



# Why TENDIFLEX®?

## The Plus:



### The true and original TENDIFLEX®

Since 1990 Flex products have been the result of continuous research to ensure the highest quality and performance. The attention to details together with the passion to create every single element as well as the satisfaction of our clients are our business cards. Design, Quality, Innovation and Production are strictly Made in Italy.



### Ergonomic and magnetic tape ends

The TENDIFLEX® are equipped with different types of tape ends, namely: **ergonomic tape end and magnetic tape end**. The magnetic tape end is ideal in situations where safety is a priority and, in case of emergency, it allows a simple and fast "release" of the tape end.



### TENDIFLEX® flat base

The standard and magnetic bases are slimmed designed, manufactured in a very strong turned steel with a **diagonal bevel of 7 °**, fundamental characteristics for the correct pedestrian flow, especially in environments such as airports and stations, where the transiting people is very high who are very often carrying wheeled suitcases and trolleys.

# Why TENDIFLEX®?

## The Plus:



### Rotating 360 ° webbing head unit

The TENDIFLEX® 360° allows an even easier connection between posts, thanks to the **360° degree rotation** of the webbing head unit fixed on the upper part of the post, thus avoiding to lift and turn the posts. This new technical solution makes it possible to keep always the webbing stretched and in perfect position, keeping the layout of the posts always disciplined and in proper order.



### Endless customization

The TENDIFLEX® SPHERE can be **personalized and customized in many different ways**, from the cap to the upper and lower rings combined with the color of the webbing together with the finishing of the posts which leads to a unique and personal Tendiflex Sphere. The customization of all the components of the sphere allows to recall the corporate identities in coordination with the environment predominant colors.




### Strength and durability

**Strength and durability** are the main features of this innovative post. The use of **made in Italy** materials ensures a long function and durability of the product.

## You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **clubs, bars, restaurants, bathing establishments, lidos, swimming pools, hotels, stores, museums, airports, public bodies, shopping centers, companies.**



### Features:

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE MINI

TENDIFLEX® SPHERE MINI is designed for use in pedestrian, such as **swimming pools, bathing establishments, lidos, clubs, bars, restaurants, hotels, stores, museums.**





**Features:**

- **delimit zone/areas** - **manage** the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airports, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **restaurants, clubs, hotels, shops, museums, airport, public bodies, shopping centers, companies.**




**Features:**

- **delimit zone/areas** - **manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - BYEL: **bring your environment to life.**

## You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **restaurants, clubs, hotels, shops, museums, airport, public bodies, shopping centers, companies.**




### Features:

- **delimit zone/areas** - **manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **restaurants, clubs, hotels, shops, museums, airport, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - **manage** the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE with ROPE

TENDIFLEX® SPHERE with ROPE is designed for use in pedestrian, such as **restaurants, clubs, hotels, shops, museums, art galleries.**




**Features:**

- **delimit zone/areas** - **manage** the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **check accesses**;
- **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPHERE MINI

TENDIFLEX® SPHERE MINI is designed for use in pedestrian, such as **schools, kindergartens, swimming pool, museums, beaches, restaurants, shopping centers, play areas.**




**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE MINI

TENDIFLEX® SPHERE MINI is designed for use in pedestrian, such as **schools, kindergartens, swimming pool, museums, beaches, restaurants, shopping centers, play areas.**





**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE MINI

TENDIFLEX® SPHERE MINI is designed for use in pedestrian, such as **swimming pool, museums, schools, kindergartens, beaches, restaurants, shopping centers, play areas.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

## You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



### Features:

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **dealerships, hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas - manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **dealerships, hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPHERE

TENDIFLEX® SPHERE is designed for use in pedestrian, such as **hotels, shops, museums, airport, restaurants, public bodies, shopping centers, companies.**



**Features:**

- **delimit zone/areas - manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - BYEL: **bring your environment to life.**

You're looking at **SUPERCLASSIC**

SUPERCLASSIC is designed for use in pedestrian, such as **museums, art galleries, shops, boutiques, spas, wellness centers, hotels.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

You're looking at **SUPERCLASSIC**

SUPERCLASSIC is designed for use in pedestrian, such as **museums, art galleries, shops, boutiques, spas, wellness centers, hotels.**



**Features:**

- **delimit zone/areas - manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® CLASSIC

TENDIFLEX® SUPERCLASSIC is designed for use in pedestrian, such as **large distribution, shopping centers, stores, restaurants, companies, museums.**




**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- **BYEL: bring your environment to life.**

You're looking at TENDIFLEX® SPORT

TENDIFLEX® SPORT is designed for use in pedestrian, such as **stores, schools, restaurants, shopping centers, airports, museums, companies.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPORT

TENDIFLEX® SPORT is designed for use in pedestrian, such as **airports, shopping centers, large-scale distribution, stores, companies.**



**Features:**

- delimit zone/areas - manage the pedestrian flows and gatherings safely;
- attract customers to your business;
- enhance your communication for your customers;
- manage the entry and exit pedestrian flows;
- BYEL: bring your environment to life.

## You're looking at TENDIFLEX® SPORT

TENDIFLEX® SPORT is designed for use in pedestrian, such as **airports, shopping centers, large-scale distribution, stores, companies.**




### Features:

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® 360°

TENDIFLEX® 360° is designed for use in pedestrian, such as **airports, shopping centers, large-scale distribution, business centers.**




**Features:**

- **delimit zone/areas - manage** the pedestrian flows and gatherings safely; - **attract customers** to your business; - **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows; - BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® SPORT

TENDIFLEX® SPORT is designed for use in pedestrian, such as **shopping centers, large retailers, stores, schools, restaurants, airports, companies.**




Features:

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

You're looking at TENDIFLEX® OUTDOOR

TENDIFLEX® OUTDOOR is designed for use in pedestrian, such as **outdoor areas, construction sites, schools, shopping centers, airports, companies, parks.**



**Features:**

- **delimit zone/areas** - manage the pedestrian flows and gatherings safely;
- **attract customers** to your business;
- **enhance your communication** for your customers;
- **manage the entry and exit** pedestrian flows;
- BYEL: **bring your environment to life.**

Turn the page and choose the model that suits you best!





# TENDIFLEX® SPHERE

## Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 12.50 kg;
- Belt length 2.3m / 3.3m - customizable with your company logo;
- Personalization: Belt, rings and upper cap.

## Base version:

- Standard base Ø350 mm;
- Magnetic base Ø350 mm.

## Tape-end version:

- Magnetic tape-end TYPE 1.



Accessory:  
MESSAGE HOLDER





# TENDIFLEX® SPHERE MINI

## Technical specifications:

- Post height 590 mm;
- Base diameter 280 mm;
- Post weight 7.4 kg;
- Belt length 2.3m / 3.3m - customizable with your company logo;
- Personalization: Belt, rings and upper cap.

## Base version:


- Standard base Ø280 mm;
- Magnetic base Ø280 mm.

## Tape-end version:

- Magnetic tape-end TYPE 1.



Accessory:  
MESSAGE HOLDER





## TENDIFLEX® X-STREAM

### Technical specifications:

- Post height 1010 mm;
- Base diameter 350 mm;
- Post weight 17.00 kg;
- Belt length 2.3m / 3.3m customizable with your company logo;
- Personalization: belt and central panel;
- Available with solid or perforated central panel.

### Base version:

- Standard base Ø350 mm;
- Magnetic base Ø350 mm.

### Tape-end version:

- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER




Polished Chrome



Matt Black



Matt White



## TENDIFLEX® SPORT

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 12 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

### Base version:

- Standard base Ø350 mm;
- Magnetic base Ø350 mm;
- Magnetic base Ø280 mm.

### Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Matt Black



Satin Nikel



360°

## TENDIFLEX® 360°

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 12 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

### Base version:

- Standard base Ø350 mm;
- Magnetic base Ø350 mm;
- Magnetic base Ø280 mm.

### Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Matt Black



Satin Nikel



## TENDIFLEX® DUAL LINE

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 16,50 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

### Base version:

- Standard base Ø350 mm;
- Magnetic base Ø350 mm.

### Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Matt Black



Satin Nikel



## TENDIFLEX® FIXED BASE

### Technical specifications:

- Post height 970 mm;
- Base diameter 150 mm;
- Post weight 12 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

### Base version:

- Fixed base Ø150 mm.

### Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Matt Black



Satin Nickel



## TENDIFLEX® WHEELED BASE

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 10,50 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

### Base version:

- Wheeled base Ø350 mm.

### Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Matt Black



Satin Nickel



# TENDIFLEX® CLASSIC

## Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 13,50 kg;
- Belt length 2.3m / 3.3m customizable with your company logo.

## Base version:

- Standard base Ø350 mm.

## Tape-end version:

- Ergonomic tape-end;
- Magnetic tape-end TYPE 1;
- Magnetic tape-end TYPE 2.



Accessory:  
MESSAGE HOLDER



Polished Brass



Polished Chrome



Satin Brass



Matt Black



Satin Nickel



# SUPERCLASSIC

## Technical specifications:

- Post height 940 mm;
- Base diameter 350 mm;
- Post weight 14.00 kg;
- Rope that can be purchased by the meter according to needs - maximum length 3.00 meters.

## Base version:

- Standard base Ø350 mm.

## Tape-end version:

- Hook with carabiner.




Accessory:  
MESSAGE HOLDER



Satin Brass



Polished Chrome



Polished Brass



Satin Nickel



## SIGN POST

### Technical specifications:

- Post height 1000 mm;
- Base diameter 280 mm;
- Post weight 5.00 kg;
- Rope that can be purchased by the meter according to needs - maximum length 3.00 meters.

### Base version:

- Base standard Ø280 mm.

### Tape-end version:

- Magnetic hook.



Accessory:  
MESSAGE HOLDER



Polished Chrome



Polished Brass



Satin Nickel



Satin Brass



## UNIFLEX E

### Technical specifications:

- Post height 1410 mm (with A4 message holder), 1520 mm (with A3 message holder);
- Base diameter 350 mm;
- Post weight 15,50 kg.

### Version:

- Message holder: vertical A4 format;
- Message holder: vertical A3 format.



Polished Brass



Polished Chrome



## TENDIFLEX® OUTDOOR

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 8.10 kg (with base filled with water);
- Belt length 2.3 m / 3.7 m.

### Base version:

- Fillable PVC base Ø350 mm.

### Tape-end version:

- Ergonomic Tape-end.



Accessory:  
MESSAGE HOLDER



Yellow



White



Red



## TENDIFLEX® SPORT SAFETY

### Technical specifications:

- Post height 970 mm;
- Base diameter 350 mm;
- Post weight 12 kg;
- Belt length 2.3m / 3.7m.

### Base version:

- Base standard Ø350 mm.

### Tape-end version:

- Ergonomic Tape-end.



Accessory:  
MESSAGE HOLDER



White



Yellow



Red



## RIGID QUEUE PARTITION

### Technical specifications:

- Post height 970 mm;
- Base diameter 150 mm;
- Post weight 12 kg;
- Panel size 1000x750 mm - thickness 10 mm (customizable panel with your logo).


### Base version:

- Base standard Ø150 mm.



Polished Chrome, Satin Nickel or Matt Black

## Base solutions



### Standard Base Ø350 mm

The choice of the Ø350 base, designed for environments with intense traffic pedestrian, allows easy and effective organization of space, ensuring the best management solution rationale of the routes and the safety required in public environments. The choice of the mobile base allows maximum freedom in the configuration of the routes, it is recommended in all those places where queuing it is frequently modified.

### Magnetic Base Ø350 mm

The choice of the Ø350 magnetic base, designed for environments with intense pedestrian traffic, it allows easy and effective organization of space, ensuring the best solution for the rational management of routes and safety required in public environments.

The magnetic version also allows a layout precise and orderly even after any route changes.

### Magnetic Base Ø280 mm

The choice of the magnetic base of Ø280 mm guarantees more space for passage, especially in airport accommodations and stations where people travel with trolleys and luggage. The magnetic version also allows a layout precise and ordered even after any changes to the routes.

## Tape-end solutions




### Ergonomic Tape-end

Manual coupling system for the Ergonomic Tape-End. The Flex Ergonomic spline is equipped with a security pin placed on the upper part of the cassette. This pin keeps in position the Tape-End preventing it to be removed without unlocking the security pin.



### Magnetic Tape-end TYPE 1

Coupling automatic device for the Magnetic Tape-End that follows all the security requirements. The Magnet located in the Tape-End is made of Nichled Neodimium, a material that represent the best of the magnet materials.



### Magnetic Tape-end TYPE 2

Coupling automatic device for the Magnetic Tape-End that follows all the security requirements. The Magnet located in the spline receiver is made of Nichled Neodimium, a material that represent the best of the magnet materials.

Did you know that **FLEX** is...



View more on [www.flex.it](http://www.flex.it)

contact us!



FLEX s.r.l.

Via G. Bargnani, 11

25135 Brescia (BS) - Italy

Phone +39 030 35.310.05

Fax +39 030 35.310.22

[www.tendiflex.it](http://www.tendiflex.it) - [www.flex.it](http://www.flex.it) - [info@flex.it](mailto:info@flex.it)